

Computer Memory Test Labs Intel® Approved Final Test Report

MOTHERBOARD	MANUFACTURER	CHIPSET	TEST#	STATUS
NUC5i7RYH	Intel	Intel® Broadwell	027138	PASSED

MEMORY MODULE INFORMATION

CMTL Part #: ITC005

Manufacturer Name: Insignis Technology Corporation, Inc.

Manufacturer Part #: NMLS0220-8KIT (i-Temp)

DRAM Manufacturer: INSIGNIS Environment Code: RoHS-Halogen Free

DRAM Part #: NDL18PFH-8KIT Low Profile: 30mm LP

Module Config: 256M x 64 Cas Latency: 11

Module Size: **2GB**

PCB Part #: KO-8248 Bank: 2

PCB Layer Count: 6 Layer Assembly Type: JEDEC Standard/Non-stacked DRAM

Module Information: Unbuffered 1.35V Non-ECC 1600MHz DDR3 SODIMM

SYSTEM INFORMATION		TESTING DETAILS		
MINIMUM SYSTEM INFORMATION Minimum System: NUC5i7RYH		35°C~55°C Temperature / Standard Voltage		
NUC5i7RYH G6RY512001QX H73774-100 2GB Intel® Core™ i7-5557U @ 3.10GHz RYBDWi35.86A.0353 1G 928M	Start Date: Stop Date: Insertion Test: SPD Check:	6/8/2017 6/8/2017 Pass Pass		
INFORMATION	Minimum Load:	Pass		
NUC5i7RYH G6RY512001QZ H73774-100	Maximum Load:	Pass		
2GB		Pass		
Intel® Core™ i7-5557U @ 3.10GHz RYBDWi35.86A.0353 1G 928M	Power Cycle Test: Test Card Version:	Pass R.S.T Premium v8.50		
	NFORMATION NUC5i7RYH G6RY512001QX H73774-100 2GB Intel® Core™ i7-5557U @ 3.10GHz RYBDWi35.86A.0353 1G 928M INFORMATION NUC5i7RYH G6RY512001QZ H73774-100 2GB Intel® Core™ i7-5557U @ 3.10GHz RYBDWi35.86A.0353	NFORMATION 35°C~55°C Temperat NUC5i7RYH Start Date: G6RY512001QX Stop Date: H73774-100 Insertion Test: 2GB Insertion Test: Intel® Core™ i7-5557U @ 3.10GHz Minimum Load: INFORMATION Minimum Load: NUC5i7RYH Maximum Load: G6RY512001QZ Maximum Load: H73774-100 S0 ~ S5 Test: 2GB Power Cycle Test: Intel® Core™ i7-5557U @ 3.10GHz Power Cycle Test:		

Microsoft Windows-7 64bit version is used as it support over 4GB memory and must support target chipset/CPU platform. All board drivers must be loaded when drivers are available on Intel web site. Front panel power cycling test, ACPI S3 sleep state cycling test, and Hibernate S4/S5 state cycling test is done up to 20 cycle each when the board support it. At least 2 loops of all test under R.S.T PRO3 to be completed.

Test Notes:

Max configuration, 5 Loops Passed, 0 Error; Memory speed running @ 1600MHz

This NUC Supports Intel® Braswell Chipset

UUT under test reached +50°C

This memory part was tested and Industrial certified at -40°C & +85°C without any error